U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE FORM PTO-1390 (RE₹ 10-95) WEBER 3 TRANSMITTAL LETTER TO THE UNITED STATES U S APPLICATION NO. (If known, see 37 CFR §1 5) **DESIGNATED/ELECTED OFFICE (DO/EO/US)** CONCERNING A FILING UNDER 35 U.S.C. §371 PRIORITY DATE CLAIMED INTERNATIONAL APPLICATION NO INTERNATIONAL FILING DATE PCT/EP00/07953 16 AUGUST 2000 1 SEPTEMBER 1999 TITLE OF INVENTION METHOD FOR DETERMINING NUCLEIC AND/OR AMINO ACID SEQUENCES APPLICANT(S) FOR DO/EO/US TOLDO, Luca, et al Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. §371. 2. This is a SECOND or SUBSEOUENT submission of items concerning a filing under 35 U.S.C. §371. This express request to begin national examination procedures (35 U.S.C. §371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U S C. §371(b) and PCT Articles 22 and 39(1). 3. A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 4. A copy of the International Application as filed (35 U.S.C. §371(c)(2)) is transmitted herewith (required only if not transmitted by the International Bureau) has been transmitted by the International Bureau is not required, as the application was filed in the United States Receiving Office (RO/US). A translation of the International Application into English (35 U.S.C. §371(c)(2)). Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. §371(c)(3)) are transmitted herewith (required only if not transmitted by the International Bureau). have been transmitted by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired have not been made and will not be made. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. §371(c)(3)). An oath or declaration of the inventor(s) (35 U.S C. §371(c)(4)). A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. §371(c)(5)). Items 11. to 16. below concern document(s) or information included: 11. 🗆 An Information Disclosure Statement under 37 C F.R. §§1 97 and 1.98. An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. §§3.28 and 3 31 is included 12. C A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment. 14.

A substitute specification.

Other items or information:

A change of power of attorney and/or address letter.

15.

16.

JC19 Rec'd PCT/PTO 0 1 MAR 2002

					ATTÖRNEY'S DOCKET NUMBER			
	10/06		PCT/EP00/0795	3		<u> </u>	WEBER 3	
17. 🛛 The following	g fees are submit	ted:					CALCULATIONS	PTO USE ONLY
BASIC NAT	TIONAL FEE (3	37 CFR §1.49	92 (a) (1) - (5)):					
Search Report has been prepared by the EPO or JPO								
International	preliminary exam	nination fee p	aid to USPTO (37 CFI	R §1.482	2)	\$710.00		
			ee paid to USPTO (37 (37 CFR §1.445(a)(2)					
Neither inter inter international	national prelimin search fee (37 Cl	ary examınati FR §1.445(a)	on fee (37 CFR §1.482 (2)) paid to USPTO	2) nor		\$1040.00		
International preliminary examination fee paid to USPTO (37 CFR §1.482) and all claims satisfied provisions of PCT Article 33(2)-(4)								
	ENT	ER APPR	OPRIATE BAS	IC FE	EE.	AMOUNT =	\$890.00	
Surcharge of \$130.00 months from the earlie	for furnishing the st claimed priority	oath or decla y date (37 C.I	ration later than F.R. §1.492(e)).	□ ₂₀		□ 30		
CLAIMS	NUMBER	FILED	NUMBER EXTR	LA		RATE		
Total claims	15	- 20 =	0		х	\$ 18.00	\$0.00	
Independent claims	1	- 3 =	0		x	\$ 84.00	\$0.00	
MULTIPLE DEPEND	ENT CLAIM(S)	(ıf applıcable)		+	\$ 280.00		
		ТОТ	AL OF ABOVE	CAL	CU	LATIONS =	\$890.00	
Reduction of 1/2 for fi	ling by small enti	ty, if applicat	ole. A Verified Small I	Entity Sta	aten	nent must also be		
					SU	UBTOTAL =	\$890.00	
Processing fee of \$130 months from the earlie	.00 for furnishing	g the English y date (37 C.I	translation later than F.R. §1 492(f)).	□ 20		□ 30		
			TOTAL	L NAT	CIC	NAL FEE =	\$890.00	
Fee for recording the e an appropriate cover sl	nclosed assignme neet (37 C F.R. §§	ent (37 C.F.R. §3.28, 3.31)	§1.21(h)). The assign \$40 00 per property.	iment mu	ust b	be accompanied by		
		*	TOTAL	FEES	E	NCLOSED =	\$890.00	
							Amount to be refunded	
							charged:	
a. A check in	the amount of	\$890.00	to cover the abov	ve fees 18	s enc	closed.		
b. Please ch A duplica	arge my Deposi te copy of this sh	t Account Neet is enclose	10. 1.3-3402	n the amount o	of	\$	to cover the above fees	
c. The Comr	nissioner is hereb	y authorized	to charge any additiona	al fees wi	hich	n may be required,	or credit any overpayme	ent to
Deposit A	ccount No. 13	-3402. A d	uplicate copy of this sh	neet is en	iclos	sed		
NOTE: When	e an appropri .R. §1.137(a) o	ate time lin	nit under 37 C.F.R t be filed and gran	k. §§1.4 ted to r	94 rest	or 1.495 has no tore the applica	ot been met, a petition to pending stat	on to
SEND ALL CORRESPO			_			• •		
	PATENT TRADEMARK	OFFICE					_	
	4 200 100 2100 0 4120 1 1110 1 1011	IR (8)) IRS)				SIGNATURE	7	
SIGNATURE Anthony V					Zalana			
	23599)				Anthon Anthon	. Zeiano	
Filed: 1 MARC	-	•				27,969		
AJZ:kmo						REGISTRATIO	ON NUMBER	

10/069927 JC19 Rec'd PCT/PTO 0 1 MAR 2002

IN THE UNITED STATES DESIGNATED/ELECTED OFFICE

International Application No.

PCT/EP00/07953

International Filing Date

16 AUGUST 2000

Priority Date(s) Claimed

1 SEPTEMBER 1999

Applicant(s) (DO/EO/US)

TOLDO, Luca, et al

Title: METHOD FOR DETERMINING NUCLEIC AND/OR AMINO ACID SEQUENCES

PRELIMINARY AMENDMENT

Commissioner for Patents Washington, D.C. 20231

SIR:

Prior to calculating the national fee, and prior to examination in the National Phase of the above-identified International application, please amend as follows:

IN THE CLAIMS:

- 4. (Amended) Method according to claim 1, characterized by the following step:
 - k) addition to the characteristic information of the particular homologous biosequences which is to be assigned to the potentially important species sequences by acquisition of references (links) relating to the biosequences acquired according to step f) in the second databank to at least one third databank and acquisition of the information stored in the third databank on the biosequences mentioned.
- 5. (Amended) Method according to claim 1, characterized in that the third databank holds ready a classification organized taxonomically at least in part regions.
- 8. (Amended) Method according to claim 2, characterized in that the comparison of a given (classified) list of keywords is carried out at least with the Medical Subject Headings of the Medline Databank.

- 9. (Amended) Method according to claim 1, characterized in that the third databank is the UNIGENE databank.
- 11. (Amended) Method according to claim 1, characterized in that further databanks are searched for linking members to the citation determined in the <u>third</u> databank, and addition of the corresponding further information or of references to the further information to the corresponding species sequences of increased importance.
- 12. (Amended) Method according to claim 1, characterized in that at least the second databank is a databank accessible to the public.
- 13. (Amended) Method according to claim 5, characterized in taht the further databanks are chosen from the group consisting of the Unigene, Genemap and GDB (new) and OMIM, KEGG and UMLS databanks.
- 14. (Amended) Method according to claim 1, characterized in that the addition of further information to the species sequences determined according to step f is carried out in a pipeline method, the information added being in the form of linking members to the assigned positions in further databanks.
- 15. (Amended) Method according to claim 1, characterized in that the spewcies of interest is the human species, and in that the assigned group of biosequences comprises the biosequences of invertebrate animals, mammals, primates, rodents and vertebrates, and the not yet classified new entries of the second databank.

REMARKS

The purpose of this Preliminary Amendment is to eliminate multiple dependent claims in order to avoid the additional fee. Applicants reserve the right to reintroduce claims to canceled combined subject matter.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached pages are captioned "Version With Markings to Show Changes Made".

Respectfully submitted,

Anthony J. Zelano, Reg. No. 27,969

Attorney for Applicants

MILLEN, WHITE, ZELANO & BRANIGAN, P.C.

Arlington Courthouse Plaza 1

2200 Clarendon Boulevard, Suite 1400

Arlington, VA 22201

Direct Dial: 703-812-5311 Facsimile: 703-243-6410

Email: zelano@mwzb.com

AJZ:kmo

Filed: 1 MARCH 2002

VERSION TO SHOW MARKINGS WITH CHANGES MADE

Claims 4,5,8,9 and 11 - 15 were amended as follows:

- 4. (Amended) Method according to one of claims 1 to 3, characterized by the following further step:
- k) addition to the characteristic information of the particular homologous biosequences which is to be assigned to the potentially important species sequences by acquisition of references (links) relating to the biosequences acquired according to step f) in the second databank to at least one third databank and acquisition of the information stored in the third databank on the biosequences mentioned.
- 5. (Amended) Method according to one of claims 1 to 4, characterized in that the third databank holds ready a classification organized taxonomically at least in part regions.
- 8. <u>(Amended)</u> Method according to claim 2 and one of the claims referring back to claim 2, characterized in that the comparison of a given (classified) list of keywords is carried out at least with the Medical Subject Headings of the Medline Databank.
- 9. (Amended) Method according to one of claims 1 to 4, characterized in that the third databank is the UNIGENE databank.
- 11. (Amended) Method according to claim 1 or 2, characterized in that further databanks are searched for linking members to the citation determined in the third databank, and addition of the corresponding further information or of references to the further information to the corresponding species sequences of increased importance.
- 12. (Amended) Method according to one of claims 1 to 11 1, characterized in that at least the second databank is a databank accessible to the public.

- 13. (Amended) Method according to one of claims 5 to 12, characterized in taht the further databanks are chosen from the group consisting of the Unigene, Genemap and GDB (new) and OMIM, KEGG and UMLS databanks.
- 14. (Amended) Method according to one of claims 1-to 13, characterized in that the addition of further information to the species sequences determined according to step f is carried out in a pipeline method, the information added being in the form of linking members to the assigned positions in further databanks.
- 15. (Amended) Method according to one of claims 1-to-14, characterized in that the species of interest is the human species, and in that the assigned group of biosequences comprises the biosequences of invertebrate animals, mammals, primates, rodents and vertebrates, and the not yet classified new entries of the second databank.

10/069927

JC19 Rec'd PCT/PTO 0 1 MAR 2002

E/M 99102 WO

15

20

25

30

Method for the determination of nucleic and/or amino acid sequences

-1-

- The present invention relates to a method for acquisition of DNA and/or nucleic acid sequences, and in particular a method for acquisition of those DNA and/or nucleic acid sequences of a given species (abbreviated to "species sequences" in the following) which have a potentially increased significance and which thus are research objects which appear particularly worthwhile.
- Biosciences, and in particular genetic engineering, have undergone a particularly rapid development in the past years. New processes for producing and duplicating genetic engineering material, such as e.g. the polymerase chain reaction (PCR), and ever better methods for cleavage of genetic material and for identification of the fragments in detail, that is to say the precise sequence of nucleic acids arranged along a gene section, were, for example, the basis for this.

This has meant that the number of gene sections of various species of which the precise structure has been determined has grown ever faster and continues to grow. An aim which is very demanding but will possibly already be achieved in a few years lies in the complete acquisition of the human genome, that is to say acquisition of all the sequences from which human genes are composed, including the precise sequence of nucleic acids within the sequences and the relative arrangement of the individual sequences with respect to one another.

Although the arrangement and positioning of certain sequences can already provide useful additional information in the determination of the functional importance of the sequences in question, mere knowledge of a particular sequence (nucleic acid or DNA sequence) is nevertheless of only very little value if the precise function and importance of the gene section in question has not been recognized and understood. Precisely this, however, plays an ever greater role in scientific research, and in particular in medicine. Thus e.g. certain diseases are very closely linked with the concrete construction of quite particular gene sections, and the precise knowledge of the functional relationship between a particular gene section and the manifestation of a particular clinical picture can therefore be of enormous therapeutic importance, since pharmaceuticals which exactly compensate a pathological deficit can then be developed much more casily. A complete cure may even be brought about, where appropriate, in that by administration of a therapeutic agent, e.g. an inhibitor of a gene product of a gene relevant to a disease, the healthy state

state of equilibrium is achieved again. This of course applies not only to the human species, but in principle to any species of organism, that is to say both to all animal and plant species and to microbiological species.

As already mentioned, the mere discovery of ever new DNA or nucleic acid sequences without knowledge of the functional importance thereof is a relatively useless collection of data, since it is scarcely possible to determine the functional importance of individual sequences or sequence sections in targeted biological or medical research even only approximately at the rate at which new sequences are determined.

10

Furthermore, in addition to the time required for this, the determination of the functional importance of DNA sequences for which there are no indications at all of the function thereof is also exceptionally cost- and personnel-intensive and therefore ties up many capacities.

On the basis of this prior art, the present invention is based on the object of providing a method for the determination of DNA and/or nucleic acid sequences in which those DNA and/or nucleic acid sequences which have a potentially increased significance are selected out in a targeted manner, that is to say those which can be investigated in a targeted manner in respect of particular functions, in particular in respect of a potential relevance to disease, with considerably less research expenditure than would be possible with the other DNA sequences not selected in this manner.

This object is achieved by the features of claim 1, the dependent claims being advantageous embodiments of the invention by which the selection is refined further and by which additional information which reduces the necessary research expenditure still further is obtained.

The process according to the invention comprises several steps, the sequence of the steps listed below, however, also being at least partly variable. For example, steps b and c could be carried out first, and only then step a of claim 1.

30

25

According to step a, in principle any desired species sequences of a species of interest are determined by biological or genetic engineering methods. The species sequences determined are stored in a first databank in a conventional nomenclature as a letter code which consists e.g. of four letters.

According to step b, all known DNA and/or nucleic acid sequences of a given group of biological species or classes are furthermore acquired in a second databank in which in general the functional importances of such sequences are also stored, together with the sequences. Such databanks, which are accessible to the public, additionally sometimes contain further additional information on the individual sequences. Merely for better differentiation, these sequences originating from several species are abbreviated here to "biosequences", while sequences of the species of interest are consistently called "species sequences" here. The given group of species or classes may, but does not have to, contain the species of interest. On the contrary, according to the present invention it is precisely the information on other species contained in such databanks which is selected according to the invention with an ingenious method and which then, by linking with other information sources, with the aid of the method according to the invention indirectly provides indications of the importance of particular sequences of the species in question.

15

20

25

30

10

5

According to step c, the biosequences acquired in a databank according to step b are compared with the species sequences (of the species of interest), which are also already known and possibly stored in the same databank, in a homology test, in which a homology test which is as simple as possible should be used because of the relatively large number of sequences to be compared with one another. If the homology between the known species sequences and the known biosequences then lies above a certain threshold value, according to step d all these biosequences homologous to known species sequences are separated out from the data set to be considered further. The amount of remaining known biosequences has therefore been reduced, compared with the biosequences known in total to the public, not only by a limitation to a group of particular species, but moreover also to those sequences for which no homologous species sequences have yet been determined.

The DNA/nucleic acid sequences stored or newly determined according to step a are then compared in step e with this remaining, reduced set of biosequences in a homology test. The species sequence and the biosequence homologous thereto are expediently matched to one another to confirm the homology and for better understanding of the coinciding sections of the sequences. If the homology lies above a given second limit value, according to step f the biosequences in question, together with at least one linking member which unambiguously identifies the associated biosequence, are stored or issued as a potentially important species sequence.

By linking with one or more particular biosequences of which function descriptions and other additional information are already known, analogous functions of the newly determined species sequences can be searched for in a very targeted manner, and there is also a very high probability of success with relatively low expenditure. This increased probability of success with low expenditure makes the species sequences in question species sequences of potentially increased significance, since other species sequences which are equivalent in structure and length but for which no homologues with known functions exist would require a considerably higher expenditure for determination of their functional importance.

10

15

5

Generally, various information pools are linked with one another by the present invention in a particular strategically favourable manner such that a maximum of information on a sequence is obtained with a minimum of expenditure which is still acceptable in practice. On the other hand, a reciprocal linking, carried out according to conventional mathematical criteria, of all data stored on in each case a sequence and homologues thereof from a relatively large group of biomedical databanks such as are used in the present case would by far exceed all the currently available computer capacities.

20

In the process according to the invention, not only can successes in the development of medicaments and treatment of diseases therefore be achieved considerably faster and more reliably, this probability of success is increased considerably with a simultaneously reduced research expenditure.

25

30

bank) assigned according to taxonomic criteria. The keywords in question, which represent functional importances in a certain manner, then in turn allow more targeted research into the specific properties of a species sequence.

The databank in which newly determined species sequences are stored for further investigation can be a public databank, but probably as a rule a private databank to which in each case only the user or a few users have access, but not the public.

On the other hand, the second databank in which additional information on the biosequences in question and references to other databanks and information stored therein are contained in general has the possibility of access by the public.

A third databank which is particularly suitable for the purposes of the present invention and contains keywords (MeSH terms) selected according to taxonomic criteria is the so-called "MED-LINE" databank. This databank contains on the one hand an identification number for each biomedical literature reference and additional information, together with a number of other data, and inter alia also keywords which are called "medical subject headings". There are moreover links to origins, authors and publications, and so-called RN numbers.

15

25

30

In addition, the MEDLINE databank contains a so-called sequence identifier, which is preferably used as one of the necessary linking members.

It is possible in this manner for a user who originally had only DNA/nucleic acid sequences for which no information at all was known to generate and compile comprehensive information, comprehensive information on a species sequence which characterizes the importance and function of the sequence and allows targeted research being automatically generated by the method according to the invention by the route via homology tests and targeted filtering and separating out of information sources. All species sequences for which functions and importances can be determined in this manner are added to by this additional information. However, they can be taken up again at any time if the data set in the second databank (accessible to the public) has been extended accordingly, so that species sequences initially separated out can also emerge in this manner as worthwhile target objects during a later run.

The homology tests which are carried out between species sequences and biosequences are preferably carried out in a pipeline process, so that complete data sets do not always have to be acquired and managed.

- It is furthermore expedient if further databanks, in addition to the databanks already mentioned, are searched for links, in particular with the third databank (MEDLINE), in order also to utilise the additional information from these additional databanks in the event of an appropriate link. These also include, in particular, the databanks called "OMIM" and "KEGG".
- Without further statements also, it is assumed that the expert can utilize the above description in the widest scope. Preferred embodiments and examples are therefore to be interpreted merely as a descriptive disclosure which is in no way limiting in any manner.

The complete disclosure of all the Applications, patents and publications listed above and below and the corresponding Application 199 41 606.0, filed on 1st September 1999, are introduced into this Application by reference.

An embodiment example of the invention is explained below with the aid of figures, from which further advantages, features and possible uses of the present invention can be seen. In the figures:

- Fig. 1 shows a diagram for reduction of the species sequences determined, such as corresponds to steps a to f in claim 1,
- Fig. 2 shows a diagram of databanks and databank links such as are used for further evaluation of information according to the present invention and
 - Fig. 3 shows a reproduction of a screen with user fields and information fields for a (hypothetical) nucleic acid sequence.
- Generally, all newly determined, e.g. in the course of a week, DNA sequences or nucleic acid sequences are initially stored in a databank in a conventional nomenclature (in the standard letter code), an identification number or some other coding for identification of the sequence in question also additionally being assigned and stored at the same time. Further information which is additionally to be co-stored is e.g. the sequence length, the species and other additional informa-

tion directly available together with the determination of such a sequence. The following process steps then proceed automatically. A sequence databank which is accessible to the public and contains DNA and/or nucleic acid sequences of the various species is accessed. By the original input of the species of interest (e.g. *Homo sapiens*), a limitation to a particular group of species of which correlation and functional similarity to gene sections of the species of interest can appropriately be assumed is already implemented here.

The public sequence databank already contains data on the species of interest. A homology test is therefore first [carried out] between the sequences of the species of interest documented in the public databank and the biosequences of the correspondingly selected group of species stored in the same databank. All biosequences which are homologous to the species sequences already stored in the public databank are separated out here, since they were or are evidently already the subject of corresponding research.

The results of this step of the method are expediently recorded, so that when the same operation is repeated, e.g. one week later, all the biosequences which have already been separated out once remain ignored from the beginning, which considerably accelerates the progress of the method. The homology test can then be limited to the newly added biosequences, or conversely the biosequences which have not been separated out beforehand must still be compared with newly added species sequences in a homology test.

The starting data set is thus, however, reduced considerably.

The biosequences still remaining are then compared with the newly determined species sequences in a homology test. As a rule homologous biosequences are found here for some of the newly determined species sequences. A list or table of the species sequences and the newly found homologous biosequences for these is then prepared, and additional information from the public databank, such as e.g. a Medline identity number possibly stored for a known biosequence, is also included in this table or list.

30

25

5

10

A further step (h) of the method consists of classification of the species sequences issued or stored in step f), i.e. assignment (sorting) into particular classes of sequences by linguistic analysis of text definitions of the additional information stored on the homologous biosequences. This

allows division into partial data sets, in turn only a part of the other databases being appropriate for adding to these.

According to step i, the characteristic information of the particular homologous biosequences which is to be assigned to the potentially important species sequences is added to by acquisition of references (links) relating to the biosequences in the second databank acquired according to step f) to at least one third databank and acquisition of the information on the biosequences mentioned which is stored in the third databank.

5

15

20

25

30

The third databank should provide a classification which is taxonomically organized at least into part regions, and is preferably here the so-called MEDLINE databank.

According to the invention, the keywords assigned to the particular biosequences according to taxonomic criteria are compared with a given list or file of keywords and coinciding keywords as well as the biosequences in question and the homologous species sequences or in each case an identification thereof for which keywords which coincide with the given list of keywords have been found are issued.

In addition to the MEDLINE databank or also as a substitute for this, information from further databanks which are chosen e.g. from the group consisting of the Unigene, Genemap and GDB (new) as well as OMIM, KEGG and UMLS databanks is also used.

The species of interest is primarily that of *Homo sapiens*, but the method according to the invention can equally be used with a substantially similar aim for another species.

The course and the result of a hypothetical embodiment example will now be explained in somewhat more detail with reference to the figures. As already mentioned, according to step c in patent claim 1, species sequences of the species of interest which are already known are compared in a homology test with the biosequences which belong to a given group of biosequences and are stored in the second databank. This step is called "blastx humprot" in fig. 1. If homologous sequences have been found, a particular status (in this case status = 2) is assigned to the biosequences homologous to the species sequences already known, and these biosequences are identified accordingly and separated out of the pool of interest of the second databank.

With the species sequences which have been determined according to step a, a further homology test is then carried out with the biosequences remaining from the second databank which until then have not yet been determined as homologues to the known species sequences. This step is called "blastn proprietary genes" in fig. 1. If homologous biosequences have been found, the best possible match and alignment is carried out (this step is called "bestfit" in fig. 1) and the data which characterize the match, length and alignment are stored, together with the sequence in question. The status 0 assigned to the corresponding biosequences means that these biosequences continue to remain in the data pool of interest.

Likewise, those biosequences in the reduced data pool of interest for which homologues were to be found neither among the species sequences determined nor among the species sequences already known also remain.

Data sets to which homologous biosequences corresponding to newly determined species sequences are assigned are generated in this manner. The user of the system according to the invention expediently uses this from a screen workplace with appropriate equipment. A screen display which shows a hypothetical result of a determination of potentially important species sequences according to the invention is shown in diagram form in fig. 3. It is to be pointed out here, however, that the result shown is not a real result, but merely a hypothetical artificially synthesized result from which, however, in principle all the essential steps and results of a typical embodiment example can be seen.

The screen shows at the left edge a series of command and parameter fields which the user can use. For example, in field 1.2 he selects a limit value parameter which indicates the minimum length of homology between the species sequence and biosequence which coincides with the nucleic acids of the homologous sequence according to the homology test and best possible fit. In field 1.3 the limit value of a percentage agreement is shown. A keyword which is to be searched for in connection with the corresponding homologous sequences can be entered e.g. in field 1.4.

30

25

5

15

20

The other user fields are self-explanatory.

When the user has chosen appropriate parameters and the basic program starts, after a short time he/she obtains a list of species sequences which have one or more biosequence homologues which meet the criteria of the user's input. For example, fig. 3 shows that 124 species sequences have one or more biosequences which are homologous with a percentage identical nature of greater than 95% and have a homology length of greater than 500 base pairs. Moreover, the entries have MeSH terms which are chiefly associated with the CNS (central nervous system). Of the 124 entries, fig. 3 shows the fifth species sequence, which is designated the number sequence 44567. The biosequences which are homologous with the species sequence are shown in the right screen half under "seeds". Several steps are necessary here in order to be able to generate this assignment of individual data from extensive files to a particular given species sequence, including the large amount of additional information, but these proceed automatically in an appropriate program, the progress being explained in diagram form on fig. 2. From the homology test called "blast proprietary genes" in fig. 1 and from the resulting homologues in the second databank, so-called Genbank identifiers (Genbank ID) can be determined from the second databank and are in turn also filed in other databanks, so that a relationship is established between various nucleic and/or amino acid sequences and other information stored in the databanks.

15

10

5

The Medline databank and the MEDLINE identifier ("Medline ID" block) recorded in many other databanks have a key function here. The sequences given under "seeds" are characterized by a Genbank identifier. These entries named by the Genbank identifier can also contain, inter alia, Medline identifiers. The title of the corresponding entries can be determined from the MEDLINE databank with the aid of this Medline identifier. Furthermore, references to particular enzymes connected with the gene section in question are often also filed in this databank, and the biochemical reaction pathways influenced by these enzymes in turn result from these. Further information from other databanks, e.g. pathological information, the location of genes on particular chromosome sections etc., can moreover be obtained via the MEDLINE identifier.

25

30

20

After running an appropriate program, a whole series of information which, in addition to the probable location of the newly determined species sequence, gives a whole range of references to its function, organ distribution and relevance to disease, is then reproduced on the screen. In the present case, which, as already mentioned, shows only hypothetical information on a species sequence, alongside the sequence 44567, for example, the biochemical name and the date of issue of the information and in 17q23 the position of the gene section on a chromosome can be seen. Genes located on the same chromosome arm are shown underneath. Information on clusters of gene fragments (EST clusters), which are identified by a particular number (Hs.198237), originates from the UNIGENE databank. The number of ESTs in this cluster in relation to the

total number of components of the present sequence is given as 54/82. Proangiotensin-angiotensin indicates the most probable metabolic pathways or chemical reactions to which the known biosequences belong. BRAIN furthermore indicates that organ in which the sequences in question are found most frequently. The organ distribution of the EST components is illustrated by different bar lengths. The most probable area of a disease indication which has been determined in connection with the data comparison is given as CNS. In the left half a horizontal row of bars can also be seen, the length of these bars in each case indicating agreements between the species sequence and the associated biosequences or sequence sections shown in the corresponding lines. In addition, the biosequences are listed individually under "seeds", including their percentage agreement and the length of the coinciding sequence sections. The titles of appropriate journals, the enzymes and various keywords are also given.

In the present example, information obtained by the linking according to the invention via various identifiers, keyword searches and taxonomic evaluation of databanks was determined from most of the databanks shown in fig. 2, with the exception of the blocks designated UMLS, SNOMED and ICD9-CM. The Knowledge Interchange Format (KIF) is used to store the information obtained from the method. This format can be used by various knowledge engineering tools, such as e.g. Ontolingua, in order to generate, inter alia, HTML or XML files and to use more extensive methods of artificial intelligence (AI).

5

10

Patent claims

1. Method for the determination of potentially important DNA and/or nucleic acid sequences of a species of interest (species sequences) with the following steps:

5

a) determination of any desired species sequences of the species of interest by biological or genetic engineering methods and storage of the species sequences in a first databank,

10

b) acquisition of known DNA/nucleic acid sequences of a given group of other species (biosequences), including the functional importance of these sequences, in a second databank in which the biosequences and additional information, including the functional importance of individual biosequences, are stored,

15

c) comparison of the already known species sequences of the species of interest with the biosequences of the given group of biosequences stored in the second databank in a homology test,

20

d) separating out of those biosequences of the given group which are homologous to the known species sequences above a given threshold value,

e) comparison of the biosequences from the group mentioned which remain from the second databank and have not been separated out with the species sequences determined according to step a in a second homology test,

25

f) storage and/or issuing of those species sequences as species sequences of potentially increased importance, homology of which with biosequences from the biosequences remaining from the group mentioned exceeds a given second threshold value, together with information on the biosequences in each case homologous thereto,

- g) it being possible optionally also to carry out step e) before step c) and without prior separating out according to step d).
- 2. Method according to claim 1, characterized by the following further steps:

- h) matching of the species sequences issued or stored in step f) in a matching, optimized according to criteria which can be predetermined, to the particular homologous biosequences and issuing and/or storage of characteristic parameters of the optimized match, such as, for example, the percentage agreement, the length of coinciding sequence sections and the optimized relative alignment.
- 3. Method according to claim 1, characterized by the following further steps:

5

20

30

- i) classification of the species sequences issued or stored in step f), i.e. assignment (sorting)
 into particular classes of sequences by linguistic analysis of text definitions of the additional information stored on the homologous biosequences.
 - 4. Method according to one of claims 1 to 3, characterized by the following step:
- addition to the characteristic information of the particular homologous biosequences which is to be assigned to the potentially important species sequences by acquisition of references (links) relating to the biosequences acquired according to step f) in the second databank to at least one third databank and acquisition of the information stored in the third databank on the biosequences mentioned.

5. Method according to one of claims 1 to 4, characterized in that the third databank holds ready a classification organized taxonomically at least in part regions.

- 6. Method according to claim 5, characterized in that the third databank is the MEDLINE databank.
 - 7. Method according to claim 5, characterized by comparison of the keywords assigned to the particular biosequences according to taxonomic criteria with a given list or file of keywords and issuing of coinciding keywords as well as the biosequences in question and the homologous species sequences or in each case an identification thereof for which keywords which coincide with the given list of keywords have been found.

- 8. Method according to claim 2 and one of the claims referring back to claim 2, characterized in that the comparison of a given (classified) list of keywords is carried out at least with the Medical Subject Headings of the Medline Databank.
- 9. Method according to one of claims 1 to 4, characterized in that the third databank is the UNIGENE databank.
- Method according to claim 9, characterized in that on the basis of the EST cluster positions from UNIGENE, information on corresponding or adjacent sequence sections is acquired from GENEMAP and/or GDB.
 - 11. Method according to claim 1 or 2, characterized in that further databanks are searched for linking members to the citation determined in the <u>third</u> databank, and addition of the corresponding further information or of references to the further information to the corresponding species sequences of increased importance.

- 12. Method according to one of claims 1 to 11, characterized in that at least the second databank is a databank accessible to the public.
- 20 13. Method according to one of claims 5 to 12, characterized in that the further databanks are chosen from the group consisting of the Unigene, Genemap and GDB (new) and OMIM, KEGG and UMLS databanks.
- 14. Method according to one of claims 1 to 13, characterized in that the addition of further information to the species sequences determined according to step f is carried out in a pipeline method, the information added being in the form of linking members to the assigned positions in further databanks.
- 15. Method according to one of claims 1 to 14, characterized in that the species of interest is the human species, and in that the assigned group of biosequences comprises the biosequences of invertebrate animals, mammals, primates, rodents and vertebrates, and the not yet classified new entries of the second databank.

Abstract

Method for the determination of nucleic and/or amino acid sequences

The present invention relates to a method for the determination of potentially important DNA and/or nucleic acid sequences of a species of interest (species sequences). To provide a method for the determination of DNA and/or nucleic acid sequences in which those DNA and/or nucleic acid sequences which have a potentially increased significance are selected out in a targeted manner, that is to say those which can be investigated in a targeted manner in respect of particular functions, in particular in respect of a potential relevance to disease, with considerably less research expenditure than would be possible with the other DNA sequences which have not been selected in this manner, according to the invention the following steps of the method are proposed:

- a) determination of any desired species sequences of the species of interest by biological or genetic engineering methods and storage of the species sequences in a first databank,
- b) acquisition of known DNA/nucleic acid sequences of a given group of other species (biosequences), including the functional importance of these sequences, in a second databank in which the biosequences and additional information, including the functional importance of individual biosequences, are stored,
- c) comparison of the already known species sequences of the species of interest with the
 20 biosequences of the given group of biosequences stored in the second databank in a homology test,
 - d) separating out of those biosequences of the given group which are homologous to the known species sequences above a given threshold value,
- e) comparison of the biosequences from the group mentioned which remain from the second databank and have not been separated out with the species sequences determined according to step a in a second homology test,
 - h) storage and/or issuing of those species sequences as species sequences of potentially increased importance, homology of which with biosequences from the biosequences remaining from the group mentioned exceeds a given second threshold value, together with information on the biosequences in each case homologous thereto,
 - i) it being possible optionally also to carry out step e) before step c) and without prior separating out according to step d).

(figure 1)

30

5

COMBINED	DECLARATION &	OR PATENT APPLICATION APPLICATION APPLICATIONS)	ND POWER OF ATTORNEY	ATTORNET'S DECEMENT SUMBER WEBER-3			
us a below nau	ned invenior, I hereby	declare that:					
My resid	ence, post office addr	wolse besse es are quienaistina pas ees	next to my name.				
bintaj om † pcirene	I am the original, first nes are usted below) o	and sole inventor (if only one name in the subject matter which is claimed a	is listed below) or an original, first and for which a patent is sought on t	and joins inventor (if he invention entitled:			
METHO	METHOD FOR DETERMINING NUCLEIC AND/OR AMINO ACID SEQUENCES						
		k only one item below).					
	14 ausched heret0						
	was filed as United	States application					
	Senai No						
	on						
	and was amended						
	on (if applicab	k).					
×	was filed as PCT into	errutional application					
	Number PCT/EP00/	07953					
	on 16 AUGUST 200	Ω.					
	and was amended un	der PCT Article 19					
	on (if applicab	le),					
l hereby s amended t	tate that I have review by any amendment ref	ed and understand the contents of the errod to above.	above-identified specification, incl	प्रवास्त्र केंद्र टाउंगाऽ, ४६			
	711-111-122A 300HC2H0U3	ose information which is material to p , material information which became : lonal filling date of the continuation in	Publishin but	1 56, including for the prior application			
application application application application	its) and or any lore; i(s) designating at lease foreign application(s) y other than the United i(s) of which priority i	inder Title 35. United States Code, § 18 gn apptication(s) for patent or invest one coupling other than the United Store coupling other than the United Store of America filed by me on the salamed: IGN/PCT APPLICATION(S) AND ANY	stor's certificate or 365(a) of any States of America listed below and try PCT international application(s) same subject matter having a filing of	PCT international have also identified designating at least tale before that of the			
C	OUNTRY MICHA PCT)	APPLICATION NUMBER	DATE OF FILING (Gay, Manar, 1980)	PRIORITY CLAIMED			
RMANY		199 41 606 0	I SEPTEMBER 1999	UNDER 35 USC 119			
		 					
				TES NO			
				U VES U NO			
Brunigan (40 he Potent and	921), Robert E. McCa Frademark Office cond	ed invenior, I hereby appoint I William 20,565); John R. Moses (24,983). Hard 103), Richard M. Leboviix (37,067); Jaurity, (46,044); and Caaba Hemier (50,5 acted therewith	(08) to prosecute this application and	7,746), Anthony J. key (32,542); Richard J. frod (44,014); Jennifer transact all business in			
and Correspon	Mence to Customer No	23599 Telephone No 703/243-63	D)	reet Telephone Calls to:			

INTENT THY DEMAKE OFFICE

Combined Declaration for Patent Application and Power of Attorney (Continued)

A PROBRET'S DOCKST PUMPER

z	FULL NAME OF INVENTOR	FAMILY NAME TOLDO	FIRST GIVEN NAME LUCA	SECOND GIVEN NAME
0	RESIDENCE A CITIZENSHIP	Laudenbach	STATE OR FOREIGN COUNTRY GETTERLY	COUNTRY OF CITIZENSHIP Gettiaby
	POST OFFICE ADDRESS	Konrad-Adenauer-Strasse 1	Crrv Laudenbach	STATE & 2IP CODE/COUNTRY D-69514 Germany
2	FULL NAME	FAMILY NAME RIPPMANN	PIRIT GIVEN NAME Friedrich	SECOND CIVEN NAME
Q Z	RESIDENCE & CITIZENSHIP	сту Heidelberg	STATE OF PORSIGN COUNTRY	COUNTRY OF CTERENSHIP Germany
	POST OFFICE ADDRESS	Schroederaumsse 79	Heidelberg	D-69120 Germany
2	of inventor	FAMILY NAME	FIRST GIVEN NAME	\$80000 CIVEN NAME
D 3	KESIDENCE A CTTIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	PUST OFFICE ADDRESS	THESE	ा र	STATE & ZIP CODE/COUNTRY
2	Full name op inventur	FAMILY NAME	FIRST CIVEN NAME	SECOND GIVEN NAME
0 4	CITIZENSALP	CITY	STATE ON PORRIGH COUNTRY	COUNTRY OF CHTZENSIEP
	POST OFFICE ADDRESS	STREET	СПТ	STATE & 2IP CODE/COUNTRY
2	FULL NAME QFINVENTOR	FAMILY NAME	FIRST CLVEN NAME	SECOND CIVEN NAME
0 5	RESIDENCE & CITEPHSHIP	GTY	STATE OR FOREICN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	STREET	CiTY	STATE & 24 COOS COUNTRY
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST CIVEN NAME	18COND GIVEN NAME
6	EÈSIDENCE A CITIZENSHIP	CITY	STATE OF FOREIGN COUNTRY	COUNTRY OF CITIZENS HIP
ľ	MOST OFFICE ADDRESS	STREET	CITY	STATE & ZIP CODE/COUNTRY
	or in abutor fort unwe	FAMILY NAME	PIRST GIVEN WAME	SECOND CIVEN NAME
0	RESIDENCE -	CITY	STATE ON POHEIGN COUNTRY	COUNTRY OF CITEZENS HIP
t	POST OFFICE ADDRESS	STREET	CTTY	STATE & 21P CODE/COUNTRY

Combined Declaration for Patent Application and Power of Attorney (Continued)	APPORABY'S DOCAST WARREN
Complete terms and a second se	1
(harloges Reference to PCT International Applications)	

2 0 8	PULL NAME FAMILY NAME		FIRST CIVEN NAME	SECUND CIVEN NAME	
	RESIDENCE & CITIZENSHIP	αιν	STATE OR HOKEIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	YCREET	сттү	STATE & ZIP CODE/COUNTRY	
2	PULL NAME OF INVENTOR	PAMILY NAME	FIRST GIVEN NAME	SECOND CIVEN NAME	
0	KEZIDENCE A CITIZENSHIP	СПУ	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENS HIP	
	POST OFFICE ADDRESS	STREET	CITY	STATE & ZIP CODE/COUNTRY	
2	TULL MANE OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND CIVEN NAME	
1	RESIDENCE A CTRZENSHIP	CITY	STATE OR FUREIGN COUNTRY	COUNTRY OF CITTLENSHIP	
	POST OFFICE ADDRESS	STREET	COTY:	STATE 4. ZIP CODE/COUNTRY	
2	FULL NAME OF INVENTOR	PAMILY NAME	FIRST GIVEN NAME	SECOND CIVET NAME	
1	KESIDENCE A CITIZENSHIP	CITY	STATE OR FOREICH COUNTRY	COUNTRY OF CITIZENSHIP	
	POST OFFICE ADDRESS	STREET	стту	STATE & ZIP CODE/COUNTRY	
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND CIVEN NAME	
1	RESIDÊNCE & CATIZENSHIP	CITY	STATE OR POREIGN COUNTRY	COUNTRY OF CTTIZERS HIP	
	POST OFFICE	STREET	gn	STATE & ZIP CODE/COUNTRY	

Thereby declare that all spacements made herein of my own knowledge are lose and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent instang thereon.

SIGNATURE OF IN VENTOR 201 X LWA + SLOO	DATE 11.7.OL	SIGNATURE OF IN VENTOR 207	DATE
SEGNATURE OF INVENTOR 300 X FREDLIGHT RULL	M-7-02	SIGNATURE OF INVENTOR 208	DATE
SIGNATURE OF IN VENTOR ZUS	DATE	Signature of in Ventor 209	PATE
SIGNATURE OF INVENTOR 200	DATE	Picnature of in ventor 310	DATE
SIGNATURE OF INVENTOR 203	DATE	SIGNATURE OF IN VENTOR 211	DATE
SUMATURE OF IN VENTOR 300	OATE	SIGNATURE OF INVENTOR 212	DATE